Pergamon

Nucl. Med. Biol. Vol. 22, No. 8, pp. III–XV, 1995
Copyright © 1995 Elsevier Science Inc.
Printed in Great Britain. All rights reserved
0969-8051/95 $9.50 + 0.00

CONTENTS OF VOLUME 22

Vol. 22, No. 1 — January 1995

Timothy R. DeGrado, Michael R. Zalutsky and Ganesan Vaidyanathan — 1 Uptake mechanisms of *meta*-[^{123}I]iodobenzylguanidine in isolated rat heart

G. Keith Mulholland, Michael R. Kilbourn, Phillip Sherman, James E. Carey, Kirk A. Frey, Robert A. Koeppe and David E. Kuhl — 13 Synthesis, *in vivo* biodistribution and dosimetry of [^{11}C]*N*-methylpiperidyl benzilate ([^{11}C]NMPB), a muscarinic acetylcholine receptor antagonist

G. Keith Mulholland — 19 Simple rapid hydrolysis of acetyl protecting groups in the FDG synthesis using cation exchange resins

J. W. Babich and A. J. Fischman — 25 Effect of "co-ligand" on the biodistribution of ^{99m}Tc-labeled hydrazino nicotinic acid derivatized chemotactic peptides

E. Livni, John W. Babich, Manoj C. Desai, Dennis M. Godek, Robert A. Wilkinson, Robert H. Rubin and Alan J. Fischman — 31 Synthesis of a ^{11}C-labeled NK_1 receptor ligand for PET studies

K. Kawai, M. A. Channing, D. O. Kiesewetter and W. C. Eckelman — 37 Synthesis of polymer-bound 6-thiolatomercury and 6-mercuric sulfonate DOPA precursors and their halodemercuration reactivity

E. L. Johnson, T. G. Turkington, R. J. Jaszczak, D. R. Gilland, G. Vaidyanathan, K. L. Greer, R. E. Coleman and M. R. Zalutsky — 45 Quantitation of ^{211}At in small volumes for evaluation of targeted radiotherapy in animal models

Charles D. Russell, Andrew T. Taylor Jr, Eva V. Dubovsky and Dennis Eshima — 55 A single-injection, two-sample method for measuring renal ^{99m}Tc–MAG_3 clearance in both children and adults

Ganesan Vaidyanathan and Michael R. Zalutsky — 61 No-carrier-added *meta*-[^{123}I]iodobenzylguanidine: synthesis and preliminary evaluation

A. Charalambous, T. J. Mangner and M. R. Kilbourn — 65 Synthesis of (2-[^{11}C]methoxy)rotenone, a marker of mitochondrial complex I activity

Makoto Hosono, Naoaki Sone, Keigo Endo, Tsuneo Saga, Hisataka Kobayashi, Masako N. Hosono, Harumi Sakahara, Kojiro Yasunaga and Junji Konishi — 71 Kinetics of platelets in dogs with thrombocytopenia induced by antiglycoprotein IIb/IIIa receptor monoclonal antibody

Wilson M. Ngai, Raymond M. Reilly, Jeannie Polihronis and Baruch Shpitz — 77 *In vitro* and *in vivo* evaluation of streptavidin immunoconjugates of the second generation TAG-72 monoclonal antibody CC49

Omer Ugur, Andrew M. Scott, Lale Kostakoglu, T. Edmond Hui, Mary E. Masterson, Robert Febo, George Sgouros, Eddie Rosa, Bipin M. Mehta, Darrell R. Fisher, Nai-Kong V. Cheung and Steven M. Larson — 87 Calculated and TLD-based absorbed dose estimates for I-131-labeled 3F8 monoclonal antibody in a human neuroblastoma xenograft nude mouse model

M. K. Ruyan, D. A. Bakan, R. W. S. Skinner, C. Newman, M. D. Gross and R. E. Counsell — 95 α-Methylene and glycidic acid analogs of IPPA as potential myocardial imaging agents

Jeffrey A. Hughes and Michael Jay — 105 Preparation of [^{11}C]formaldehyde using a hollow fiber membrane bioreactor

R. Chirakal, R. M. Adams, G. Firnau, G. J. Schrobilgen, G. Coates and E. S. Garnett — 111 Electrophilic ^{18}F from a Siemens 11 MeV proton-only cyclotron

Chang Woon Choi, June-Key Chung, Dong Soo Lee, Myung Chul Lee, Hong-Keun Chung, Byoung Kook Kim and Chang-Soon Koh — 117 Development of bone marrow immunoscintigraphy using a Tc-99m labeled anti-NCA-95 monoclonal antibody

Anna Lövqvist, Anders Sundin, Håkan Ahlström, Jörgen Carlsson and Hans Lundqvist — 125 ^{76}Br-labeled monoclonal anti-CEA antibodies for radioimmuno positron emission tomography

Atsushi Takeda, Haruna Tamano and Shoji Okada — 133 Differential hepatic response of ^{65}Zn distribution between mice bearing experimental tumor and inflammation

---

Vol. 22, No. 2 **February 1995**

Editorial
Malcolm V. Pimm — 137 Circulating antigen: bad or good for immunoscintigraphy?

Urs O. Häfeli, Siobhan M. Sweeney, Beverly A. Beresford, John L. Humm and Roger M. Macklis — 147 Effective targeting of magnetic radioactive ^{90}Y-microspheres to tumor cells by an externally applied magnetic field. Preliminary *in vitro* and *in vivo* results

Caroline Branger, Lucette Garreau, Anne-Marie Dognon, Yves Frangin, Mireille Caillet, Jean-Edouard Ombetta-Goka, Sylvie Chalon, Jean-Claude Besnard and Denis Guilloteau — 157 Synthesis of 4′-iodo-5-methoxyvalerophenone O-(2-aminoethyl)-oxime as an agent for exploration of serotoninergic transporter

Carolyn J. Anderson, Christy S. John, Yuejin J. Li, Robert D. Hancock, Timothy J. McCarthy, Arthur E. Martell and Michael J. Welch — 165 *N,N′*-Ethylene-di-L-cysteine (EC) complexes of Ga(III) and In(III): molecular modeling, thermodynamic stability and *in vivo* studies

M. Hirata, Y. Magata, Y. Ohmomo, H. Saji, K. Murakami, T. Takagaki, N. Yamamura, C. Tanaka, J. Konishi and A. Yokoyama — 175 Evaluation of radioiodinated iodoclorgyline as a SPECT radiopharmaceutical for MAO-A in the brain

Masamichi Fukuoka, Tuyoshi Kiyohara, Tetsu Kobayashi, Shuji Kojima, Akira Tanaka and Akiko Kubodera — 181 Synthesis and preclinical evaluation of technetium-99m-labeled hippurate analogues

Kazuo Kubota, Roko Kubota, Susumu Yamada and Masao Tada — 193 Effects of radiotherapy on the cellular uptake of carbon-14 labeled L-methionine in tumor tissue

Zhengsheng Yao, Harumi Sakahara, Meili Zhang, Hisataka Kobayashi, Hiroshi Nakada, Ikuo Yamashina and Junji Konishi — 199 Radioimmunoimaging of colon cancer xenografts with anti-Tn monoclonal antibody

K. Shiba, H. Mori, H. Matsuda, S. Tsuji, I. Kuji, H. Sumiya, K. Kinuya, N. Tonami, K. Hisada and T. Sumiyosi — 205 Synthesis of radioiodinated analogs of 2-(4-phenylpiperidino)-cyclohexanol (vesamicol) as vesamicol-like agent

Ronald M. Baldwin, Yolanda Zea-Ponce, Mohammed S. Al-Tikriti, Sami S. Zoghbi, John P. Seibyl, Dennis S. Charney, Paul B. Hoffer, Shaoyin Wang, Richard A. Milius, John L. Neumeyer and Robert B. Innis — 211 Regional brain uptake and pharmacokinetics of [^{123}I]*N*-ω-fluoro-alkyl-2β-carboxy-3β-(4-iodophenyl)nortropane esters in baboons

Michael Kassiou, Ursula Scheffel, Hayden T. Ravert, William B. Mathews, John L. Musachio, Richard M. Lambrecht and Robert F. Dannals — 221 [^{11}C]A-69024: a potent and selective non-benzazepine radiotracer for *in vivo* studies of dopamine D1 receptors

J. C. Hung and M. E. Wilson — 227 Rapid radiochemical purity testing for [^{131}I]*m*-iodobenzylguanidine

R. Emre Acaroğlu, Talat Gögüs, Meral T. Ercan and Arzu Sungur — 231 Experimental induction of osteosarcoma by subperiosteal radioactive phosphorus injections in rats

Kjell Någren, Lars Müller, Christer Halldin, Carl-Gunnar Swahn and Pertti Lehikoinen — 235 Improved synthesis of some commonly used PET radioligands by the use of [^{11}C]methyl triflate

Bradley M. Palmer, Munawwar Sajjad and David A. Rottenberg — 241 An automated [^{15}O]H_2O production and injection system for PET imaging

Göran Westerberg, Mats Bergström, Stefan Gustafson, Ulla Lindqvist, Anders Sundin and Bengt Långström — 251 Labelling of polysaccharides using [^{11}C]cyanogen bromide. *In vivo* and *in vitro* evaluation of ^{11}C-hyaluronan uptake kinetics

J. Yu, I. Zolle, J. Mertens and F. Rakias — 257 Synthesis of 2-[^{131}I]iodophenyl-metyrapone using Cu(I)-assisted nucleophilic exchange labelling: study of the reaction conditions

Margaret Szucs and Colin Tilcock — 263 Lyophilization and rehydration of polymer-coated lipid vesicles containing a lipophilic chelator in the presence of sucrose: labeling with ^{99m}Tc and biodistribution studies

Announcement — I

Vol. 22, No. 3 **April 1995**

Silvia S. Jurisson, John Pirro, Richard J. DiRocco, Karen C. Rosenspire, Elaine Jagoda, Palaniappa Nanjappan, William C. Eckelman, David P. Nowotnik and Adrian D. Nunn — 269 Boronic acid adducts of technetium dioxime (BATO) complexes derived from quinuclidine benzilate (QNB) boronic acid stereoisomers: syntheses and studies of their binding to the muscarinic acetylcholine receptor

Jogeshwar Mukherjee, Zhi-Ying Yang, Malay K. Das and Terry Brown — 283 Fluorinated benzamide neuroleptics—III. Development of (*S*)-*N*-[(1-allyl-2-pyrrolidinyl)methyl]-5-(3-[^{18}F]fluoropropyl)-2,3-dimethoxybenzamide as an improved dopamine D-2 receptor tracer

C. Sawas-Dimopoulou, P. Papathanassiou and L. Margaritis — 297 Early detection of amphotericin B induced nephrotoxicity by ^{99m}Tc-DTPA: a useful test

S. Mzengeza, T. K. Venkatachalam and M. Diksic — 303 Asymmetric radiosynthesis of α-[^{11}C]methyl-L-tryptophan for PET studies

Hideyuki Yoshizumi, Yasuhisa Fujibayashi and Haruhiko Kikuchi — 309 Amino acid transport after transient global ischemia in rats: quantitative autoradiographic study using 3-[^{125}I]iodo-alpha-methyl-L-tyrosine

Emmanuel Bellande, Veronique Comazzi, Jacques Laine, Michele Lecayon, Roberto Pasqualini, Adriano Duatti and Didier Hoffschir — 315 Synthesis and biodistribution of nitrido technetium-99m radiopharmaceuticals with dithiophosphinate ligands: a class of brain imaging agents

Chyng-Yann Shiue, Grace G. Shiue, Kurtis G. Cornish and Maria F. O'Rourke — 321 Comparative PET studies of the distribution of (−)-3,4-methylenedioxy-*N*-[^{11}C]methamphetamine and (−)-[^{11}C]methamphetamine in a monkey brain

Hubert P. Vanbilloen, Guy M. Bormans, Michel J. De Roo and Alfons M. Verbruggen — 325 Complexes of technetium-99m with tetrapeptides, a new class of ^{99m}Tc-labelled agents

G. Bormans, B. Cleynhens, P. Adriaens, H. Vanbilloen, M. De Roo and A. Verbruggen — 339 Investigation of the labelling characteristics of ^{99m}Tc-mercaptoacetyltriglycine

Atsushi Takeda, Haruna Tamano, Miho Ohnuma and Shoji Okada — 351 ^{65}Zn uptake by liver of rats fed 3′-methyl-dimethylaminoazobenzene

Jean Christophe Pittet, Michel Pepin, Gérard Normier, Hanz Binz and Alain Le Pape — 355 Lymphoscintigraphy via the targeting of macrophages with 99mTc–J001X poly-galactoside in a model of pyogranulomas developed in sheep lymph nodes

Silvia G. de Castiglia, Adrian Duran, Gabriel Fiszman and Alberto L. Horenstein — 367 ^{99m}Tc direct labeling of anti-CEA monoclonal antibodies: quality control and preclinical studies

I. C. Dormehl, D. W. Oliver, N. Hugo and D. Rossouw — 373 A comparative cerebral blood flow study in a baboon model with acetazolamide provocation: ^{99m}Tc–HMPAO vs ^{123}I(IMP)

F. I. Chou, K. C. Fang, C. Chung, W. Y. Lui, C. W. Chi, R. S. Liu and W. K. Chan — 379 Lipiodol uptake and retention by human hepatoma cells

Technical Notes

Tuomo K. Nikula, Michael J. Curcio, Martin W. Brechbiel, Otto A. Gansow, Ronald D. Finn and David A. Scheinberg — 387 A rapid, single vessel method for preparation of clinical grade ligand conjugated monoclonal antibodies

Y. Krausz, T. Horne, S. Wynchank and A. Halevy — 391 Lateral neck imaging for spatial localization of parathyroid tissue

A. Najafi — 395 Measures and pitfalls for successful preparation of "no carrier added" asymmetric 6-[^{18}F]fluoro-L-dopa from ^{18}F-fluoride ion

Daniela Giannessi, Walter Bernini, Patrizia Puccetti and Raffaele De Caterina — 399 Platelet radiolabelling with ^{111}Indium for *in vivo* studies: a methodological reappraisal

---

Vol. 22, No. 4 **May 1995**

H. Young, P. Carnochan, M. Trivedi, G. A. Potter, S. A. Eccles, B. P. Haynes, M. Jarman and R. J. Ott — 405 Pharmacokinetics and biodistribution of radiolabelled idoxifene: prospects for the use of PET in the evaluation of a novel anti-oestrogen for cancer therapy

Syed M. Quadri, Abrar Siddiqui, Jerry L. Klein and Huibert M. Vriesendorp — 413 Biodistribution and tumor localization of ^{111}In-labeled unmodified and modified F(ab′)$_2$ fragments of human monoclonal IgM (16.88) in a nude mouse model

Abrar Siddiqui, Syed M. Quadri, Gary L. Griffiths, David M. Goldenberg and Huibert M. Vriesendorp — 425 Tumor targeting and pharmacokinetics of unmodified and modified F(ab)$_2$ fragments of an anti-CEA murine monoclonal antibody (Immu-14)

S. M. N. Efange, A. B. Khare and R. B. Langason — 437 Comparative tissue distribution of conformationally restricted radioiodinated vesamicol receptor ligands

Tamotsu Nagata, Hideo Saji, Sadahiko Nishizawa, Yoshiharu Yonekura, Itsuo Yamamoto, Yasuhiko Iida, Yasuhiro Magata, Junji Konishi, Tadao Serikawa, Akira Yokoyama and Rikushi Morita — 445 [^{125}I]Iomazenil binding in the brains of spontaneously epileptic rats: an *ex vivo* quantitative autoradiographic study

Milena Tesic, Katherine M. Sheldon, James R. Ballinger and Izzie Boxen — 451 Labelling small quantities of monoclonal antibodies and their F(ab′)$_2$ fragments with technetium-99m

Frank R. Dobbs, William Banks, Joseph C. Fleishaker, Alan D. Valentine, Berma M. Kinsey, Mark P. Franceschini, George A. Digenis and Timothy J. Tewson — 459 Studies with [^{11}C]alprazolam: an agonist for the benzodiazepine receptor

Pradeep K. Garg, Christy S. John and Michael R. Zalutsky — 467 Preparation and preliminary evaluation of 4-[^{211}At]astato-*N*-piperidinoethyl benzamide

Ralf Bergmann, Peter Brust, Gudrun Kampf, Heinz H. Coenen and Gerhard Stöcklin — 475 Evaluation of radioselenium labeled selenomethionine, a potential tracer for brain protein synthesis by PET

Merja Haaparanta, Robert Paul, Riikka Huovinen, Harry Kujari, Jörgen Bergman, Olof Solin and Lauri Kangas — 483 Pharmacokinetics and metabolism of 2-[^{18}F]fluoro-2-deoxy-D-glucose (FDG) in mammary tumors of antiestrogen-treated rats

A. Charalambous, L. Tluczek, K. A. Frey, D. S. Higgins Jr, T. J. Greenamyre and M. R. Kilbourn — 491 Synthesis and biological evaluation in mice of (2-[^{11}C]methoxy)-6′,7′-dihydrorotenol, a second generation rotenoid for marking mitochondrial complex I activity

Andrew M. Scott, Eddie Rosa, Bippin M. Mehta, Chaitanya R. Divgi, Ronald D. Finn, June L. Biedler, Takashi Tsuruo, Hovannes Kalaigian and Steven M. Larson — 497 *In vivo* imaging and specific targeting of P-glycoprotein expression in multidrug resistant nude mice xenografts with [^{125}I]MRK-16 monoclonal antibody

M. A. Rampy, T. S. Chou, A. N. Pinchuk, R. W. S. Skinner, M. D. Gross, S. Fisher, R. Wahl and R. E. Counsell — 505 Synthesis and biological evaluation of radioiodinated phospholipid ether analogs

Dennis W. Wong, Jack I. Eisenman and Will Wade Jr — 513 Detection of acute infection/inflammation with Tc-99m labeled intact polyvalent human IgG

Parvin Shambayati Lundberg, Lars Jacobsson, Gunnar Stenhagen, Jerker Mårtensson and Martha Fjälling — 521 The chemical nature, purity and stability of 99mTc-*N*-(2,6-diethyl-3-iodo-phenylcarbamoylmethyl)-iminodiacetic acid

Daniel J. Canney, Mei-Ping Kung and Hank F. Kung — 527 Amino- and amido-tetrabenazine derivatives: synthesis and evaluation as potential ligands for the vesicular monoamine transporter

Tiangui Huang, Yanhua Zhang, Jixin Wang, Junxin Huang, Dingxin Liu and Shucong Mong — 537 Pingyangmycin as a ^{99m}Tc carrier in tumor localization

Technical Note

Makiko Suehiro, John L. Musachio, Robert F. Dannals, William B. Mathews, Hayden T. Ravert, Ursula Scheffel and Henry N. Wagner Jr — 543 An improved method for the synthesis of radiolabeled McN5652 via thioester precursors

---

Vol. 22, No. 5 **July 1995**

Noriko Shimura, Shuji Kojima, Akiko Kubodera, and Takashi Tsuruo — 547 Specific imaging of hormone-dependent mammary carcinoma in nude mice with [^{131}I]-anti-estriol 3-sulfate antibody

Yasushi Arano, Takahiro Mukai, Hiromichi Akizawa, Takashi Uezono, Hiroshi Motonari, Kouji Wakisaka, Claudia Kairiyama and Akira Yokoyama — 555 Radiolabeled metabolites of proteins play a critical role in radioactivity elimination from the liver

Michael R. Kilbourn, Phillip S. Sherman and Louise C. Abbott — 565 Mutant mouse strains as models for *in vivo* radiotracer evaluations: [^{11}C]methoxytetrabenazine ([^{11}C]MTBZ) in *tottering* mice

B. Desrues, M-L. Quinquenel, L. Toujas, P. Delaval and L. Dazord — 569 Biodistribution of monoclonal antibody Po66 in a human lung tumour-bearing mouse model: effect of blood exchange on tumour antibody uptake

Samuel Samnick, Wolfgang Brandau, Joachim Sciuk, Axel Steinsträßer and Otmar Schober — 573 Synthesis, characterization and biodistribution of neutral and lipid-soluble ^{99m}Tc-bisaminoethanethiol spiperone derivatives: possible ligands for receptor imaging with SPECT

S. Bouquillon, Y. Coulais, M. Dartiguenave, J. A. M. Tafani and R. Guiraud — 585 Synthesis, characterization and biodistribution of a new technetium-99m complex with trimethylsilylmethylisonitrile. Comparison with ^{99m}Tc-TBI and ^{99m}Tc-MIBI

Himadri S. Sarkar, Asish K. Sen, Manasi Mukherjee, Nilima Banerji and Somenath Banerjee — 589 Syntheses of several ^{99m}Tc and ^{131}I labeled neoglycoalbumins and their differential uptake patterns in animal biodistribution experiments

Chris M. Kinter and John R. Lever — 599 Synthesis of radioiodinated naltrindole analogues: ligands for studies of delta opioid receptors

Girish N. Ranadive and William D. Bloomer — 607 Solid phase labeling of monoclonal antibodies with ^{9m}Tc using two bifunctional photocleavable reagents

Chyng-Yann Shiue, Grace G. Shiue, Kurtis G. Cornish, and Maria F. O'Rourke — 613 PET study of the distribution of [^{11}C]fluoxetine in a monkey brain

Hamid Rafii, Sylvie Chalon, Jean-Edouard Ombetta, Yves Frangin, Lucette Garreau, Anne-Marie Dognon, Isabelle Lena, Sylvie Bodard, Marie-Paule Vilar, Jean-Claud Besnard and Denis Guilloteau — 617 Synthesis and characterization of [^{125}I]*N*-(2-aminoethyl)-4-iodobenzamide as a selective monoamine oxidase B inhibitor

Kondareddiar Ramalingam, Silvia S. Jurisson, Bruce L. Kuczynski, Richard Di Rocco, Rama K. Narra, David P. Nowotnik and Adrian D. Nunn — 625 BATO complexes derived from dimethoxy dioximes: synthesis, characterization and biodistribution

Yearn Seong Choe, Thomas A. Bonasera, Dae Yoon Chi, Michael J. Welch and John A. Katzenellenbogen — 635 6α-[^{18}F]Fluoroprogesterone: synthesis via halofluorination–oxidation, receptor binding and tissue distribution

John W. Babich, Wendy Graham, Sandra A. Barrow and Alan J. Fischman — 643 Comparison of the infection imaging properties of a ^{99m}Tc labeled chemotactic peptide with ^{111}In IgG

Mohammed S. Al-Tikriti, Yolanda Zea-Ponce, Ronald M. Baldwin, Sami S. Zoghbi, Marc Laruelle, John P. Seibyl, Suzanne G. Giddings, B. Ellen Scanley, Dennis S. Charney, Paul B. Hoffer, Richard Sparks, James Stubbs, Shaoyin Wang, John L. Neumeyer and Robert B. Innis — 649 Characterization of the dopamine transporter in nonhuman primate brain: homogenate binding, whole body imaging, and *ex vivo* autoradiography using [^{125}I] and [^{123}I]IPCIT

Ronald M. Baldwin, Andrew G. Horti, J. Douglas Bremner, Morgan D. Stratton, Robert F. Dannals, Hayden T. Ravert, Yolanda Zea-Ponce, Chin K. Ng, Holley M. Dey, Robert Soufer, Dennis S. Charney, Samuel M. Mazza, Richard B. Sparks, James B. Stubbs and Robert B. Innis — 659 Synthesis and PET imaging of the benzodiazepine receptor tracer [*N*-methyl-^{11}C]iomazenil

Bruce H. Mock, Michael T. Vavrek and G. Keith Mulholland — 667 Solid-phase reversible trap for [^{11}C]carbon dioxide using carbon molecular sieves

J. R. Grierson. A. F. Shields, M. Zheng, S. M. Kozawa and J. H. Courter — 671 Radiosyntheses of labeled β-pseudothymidine ([C-11]- and [H-3]-*methyl*) and its biodistribution and metabolism in normal and tumored mice

Eugene R. DeSombre, James Pribish and Alun Hughes — 679 Comparison of the distribution of radioiodinated di- and trihydroxyphenylethylene estrogens in the immature female rat

Technical Note

L. C. Washburn, D. S. Biniakiewicz and H. R. Maxon III — 689 Reliable preparation of ^{99m}Tc (V) DMSA by a simple modified method using a commercial kit for ^{99m}Tc (III) DMSA

Vol. 22, No. 6 August 1995

Munna Chakrabarti, Kenneth T. Cheng, Kenneth M. Spicer, Wolff M. Kirsch, Stanley D. Fowler, Wayne Kelln, Susan Griende, Sandra Nehlsen-Cannarella, Ralph Willerson, Samuel S. Spicer and Tad Koch — 693 Biodistribution and radioimmunopharmacokinetics of ^{131}I-Ama monoclonal antibody in atherosclerotic rabbits

Raymond J. Davenport, Marilyn P. Law, Victor W. Pike, Safiye Osman and Keith G. Poole — 699 Propionyl-L-carnitine: Labelling in the *N*-methyl position with carbon-11 and pharmacokinetic studies in rats

Lars Müller, Håkan Hall, Christer Halldin, Lars Farde, Rolf Hohlweg, Peter D. Suzdak, Erik B. Nielsen and Christian Foged — 711 Synthesis and binding properties of [^{3}H]NNC 12-0781, a new radioligand for the dopamine reuptake system

Terushi Haradahira, Akihiro Tanaka, Minoru Maeda, Yoko Kanazawa, Yu-Ichi Ichiya and Kouji Masuda — 719 Radiosynthesis, rodent biodistribution, and metabolism of 1-deoxy-1-[^{18}F]fluoro-D-fructose

Isabelle Lena, Jean-Edouard Ombetta, Sylvie Chalon, Ann-Marie Dognon, Jean-Louis Baulieu, Yves Frangin, Lucette Garreau, Jean-Claude Besnard and Denis Guilloteau — 727 Iododerivative of pargyline: A potential tracer for the exploration of monoamine oxidase sites by SPECT

M. F. Moreau, J. Michelot, J. Papon, M. Bayle, P. Labarre, J. C. Madelmont, D. Parry, J. Y. Boire, N. Moins, H. Seguin, A. Veyre and L. Mauclaire — 737 Synthesis, radiolabeling, and preliminary evaluation in mice of some (*N*-diethylaminoethyl)-4-iodobenzamide derivatives as melanoma imaging agents

Shunichi Oya, Mei-Ping Kung, Dana Frederick and Hank F. Kung — 749 New bisaminoethanethiol (BAT) ligands which form two interconvertible Tc-99m complexes

Ganesan Vaidyanathan and Michael R. Zalutsky — 759 Fluorine-18 labeled chemotactic peptides: A potential approach for the PET imaging of bacterial infection

Tove Olafsen, Øyvind S. Bruland, Michael R. Zalutsky and Inger Sandlie — 765 — Cloning and sequencing of V genes from anti-osteosarcoma monoclonal antibodies TP-1 and TP-3: Location of lysine residues and implications for radiolabeling

Jaetae Lee, Chang H. Paik, Dale O. Kiesewetter, Seok G. Park and William C. Eckelman — 773 — Evaluation of stereoisomers of 4-fluoroalkyl analogues of 3-quinuclidinyl benzilate in *in vivo* competition studies for the M1, M2, and M3 muscarinic receptor subtypes in brain

Peter S. Conti, Mian M. Alauddin, John R. Fissekis, Bernard Schmall and Kyochi A. Watanabe — 783 — Synthesis of 2'-Fluoro-5-[^{11}C]-Methyl-1-β-D-arabinofuranosyluracil ([^{11}C]-FMAU): A potential nucleoside analog for *in vivo* study of cellular proliferation with PET

Mian M. Alauddin, Hayden T. Ravert, John L. Musachio, William B. Mathews, Robert F. Dannals and Peter S. Conti — 791 — Selective alkylation of pyrimidyl dianions III: No-carrier-added synthesis of [^{11}C-Methyl]-thymidine

M. Nakayama, M. Wada, N. Araki, Y. Ginoza, T. Terahara, K. Harada, A. Sugii, S. Tomiguchi, A. Kojima, M. Hara and M. Takahashi — 795 — Direct ^{99m}Tc labeling of human immunoglobulin with an insoluble macromolecular Sn(II) complex

Michinao Mizugaki, Hitoshi Nakamura, Takanori Hishinuma, Yoshihisa Tomioka, Shunji Ishiwata, Hideaki Suzuki, Tatsuo Ido, Ren Iwata, Yoshihito Funaki, Masatoshi Itoh, Takehiko Fujiwara, Kazuhiko Yanai, Mitsumoto Sato, Yohtaro Numachi and Sumiko Yoshida — 803 — Positron emission tomography (PET) study of the alterations in brain distribution of [^{11}C]methamphetamine in methamphetamine sensitized dog

Stephen M. Moerlein, Joel S. Perlmutter and Michael J. Welch — 809 — Specific, reversible binding of [^{18}F]benperidol to baboon D_2 receptors: PET evaluation of an improved ^{18}F-labeled ligand

Régine Audran, Brigitte Collet, Annick Moisan and Louis Toujas — 817 — Fate of mouse macrophages radiolabelled with PKH-95 and injected intravenously

K. Shiba, H. Mori, H. Matsuda, S. Tsuji, N. Tonami and K. Hisada — 823 — *In vivo* characterization of radioiodinated 2-(4-phenylpiperidino)cyclohexanol (vesamicol) analogs: Potential radioligand for mapping presynaptic cholinergic neurons

---

Vol. 22, No. 7 **October 1995**

Editorial

S. John Gatley — 829 — Iodine-123-labeled glucose analogs: Prospects for a single-photon-emitting analog of fluorine-18-labeled deoxyglucose

General Papers

I. C. Dormehl, N. Hugo, D. Rossouw, A. White and L. E. Feinendegen — 837 — Planar myocardial imaging in the baboon model with Iodine-123-15-(Iodophenyl)Pentadecanoic acid (IPPA) and iodine-123-15-(P-Iodophenyl)-3-R,S-methylpentadecanoic acid (BMIPP), using time-activity curves for evaluation of metabolism

P. R. Singh, P. Lusiak, W. A. Volkert, A. R. Ketring, R. A. Holmes and K. V. Katti — 849 — Transition metal chemistry of main group hydrazides, part 14: Evaluation of new Tc-99m chelates of thiol functionalized phosphorus hydrazides

Theresa M. Jones-Wilson, Ramunas J. Motekaitis, Yizhen Sun, Carolyn J. Anderson, Arthur E. Martell and Michael J. Welch — 859 — New hydroxybenzyl and hydroxypryidylmethyl substituted triazacyclononane ligands for use with gallium(III) and indium(III)

Makoto Hosono, Akifumi Takaori-Kondo, Zheng-Sheng Yao, Hisataka Kobayashi, Masako N. Hosono, Harumi Sakahara, Kazunori Imada, Minoru Okuma, Takashi Uchiyama and Junji Konishi — 869 — Radioimmunodetection of human leukemia with anti-interleukin-2 receptor antibody in severe combined immunodeficiency mice

C. Henry, F. Koumanov, C. Ghezzi, J. P. Mathieu, S. Hamant, J. de Leiris and M. Comet — 875 — Experimental models, protocols, and reference values for evaluation of iodinated analogues of glucose

Alan B. Packard, Pamela J. Day and S. T. Treves — 887 — An improved ^{191}Os/^{191m}Ir generator using a hybrid anion exchanger

David L. Alexoff, Colleen Shea, Joanna S. Fowler, Payton King, S. John Gatley, David J. Schlyer and Alfred P. Wolf — 893 — Plasma input function determination for PET using a commercial laboratory robot

Camilla Lundkvist, Christer Halldin, Carl-Gunnar Swahn, Hkan Hall, Per Karlsson, Yoshifumi Nakashima, Shaoyin Wang, Richard A. Milius, John L. Neumeyer and Lars Farde — 905 — [*O*-Methyl-^{11}C]β-CIT-FP, a potential radioligand for quantitation of the dopamine transporter: Preparation, autoradiography, metabolite studies, and positron emission tomography examinations

G. M. Visser, H. J. Krugers, G. Luurtsema, A. van Waarde, P. H. Elsinga, E. R. DeKloet, M. B. Groen, B. Bohus, K. G. Go, A. M. J. Paans, J. Korf and W. Vaalburg — 915 — Synthesis and organ distribution of [^{18}F]fluoro-org 6141 in the rat: A potential glucocorticoid receptor ligand for positron emission tomography

I. Günther, M. Psylla, G. N. Reddy, A. Antonini, P. Vontobel, H. W. Reist, A. Zollinger, R. J. Nickles, H.-F. Beer, P. A. Schubiger and K. L. Leenders — 921 — Positron emission tomography in drug evaluation: Influence of three different catechol-*o*-methyltransferase inhibitors on metabolism of [NCA] 6-[^{18}F]fluoro-L-dopa in Rhesus monkey

H.-F. Beer, I. Rossetti, L. D. Frey, P. H. Hasler and P. A. Schubiger — 929 — ^{123}I-labeling and evaluation of Ro 43-0463, a SPET tracer for MAO-B imaging

Ai-Yih Wang and Ren-Syan Liu — 937 — Evaluation of the biodistribution and *in vivo* biochemistry of ^{99m}Tc-cysteine and $^{99/99m}$Tc-cystein complexes—A potential renal agent

John Bonnyman — 943 — Preparation and biological behavior of ^{99m}Tc-carbonyl and ^{99m}Tc-nitrido complexes of cysteine and some cysteine esters

Technical Notes

Joseph C. Hung, Thomas J. Herold, Mark E. Wilson and Raymond G. Gibbons — 949 — Generator elluate effects on the labeling efficiency of ^{99m}Tc-sestamibi

J. C. Bellen, S. Penglis and C. Tsopelas — 953 — Radiolabeling and biodistribution of amiodarone and desethylamiodarone

Vol. 22, No. 8 **December 1995**

NEW RADIO-TRACERS AND METHODS OF QUALITY ASSURANCE FOR NUCLEAR MEDICINE APPLICATIONS

H. H. Coenen and P. A. Schubiger — 957 — Preface

S. M. Ametamey, Christer Halldin, Carl-Gunnar Swahn, Hakan Hall, P. A. Schubiger and Lars Farde — 959 — Synthesis of NOR-β-CIT, β-CIT and trimethylstannyl-β-CT

Kjell Ngren, Christer Halldin, Lars Müller, Carl-Gunnar Swahn and Pertti Lehikoinen — 965 — Comparison of [^{11}C] methyl triflate and [^{11}C] methyl iodide in the synthesis of PET radioligands such as [^{11}C] β-CIT and [^{11}C] β-CFT

Kim A. Bergström, Christer Halldin, Jyrki T. Kuikka, Carl-Gunnar Swahn, Jari Tiihonen, Jukka Hiltunen, Esko Länsimies and Lars Farde — 971 — The metabolite pattern of [^{123}I] β-CIT determined with a gradient HPLC method

H. H. Coenen, K. Dutschka, S. P. Müller, L. Geworski, J. Farahati and C. Reiners — 977 — N.c.a. radiosynthesis of [^{123,124}I] β-CIT, plasma analysis and pharmacokinetic studies with SPECT and PET

R. J. Vermeulen, Erik Ch. Wolters, G. Tissingh, J. Booij, A. G. M. Janssen, J. Habraken, E. Sokole-Busemann, J. C. Stoof and E. A. Van Royen — 985 — Evaluation of [^{123}I] β-CIT binding with SPECT in controls, early and late Parkinson's disease

B. Maziere, Christian Loc'h, Lars Müller and Christer Halldin — 993 — ^{76}Br-β-CBT, a PET tracer for investigating dopamine neuronal uptake

H.-F. Beer, L. D. Frey, M. Haberli and P. A. Schubiger — 999 — [^{123}I/^{18}F] N-(2-aminoethyl)-5-halogeno-2-pyridinecarboxamides, site specific tracers for MAO-B mapping with SPET and PET

D. Terriere, P. M. F. Janssen, W. Gommeren, M. Gysemans, J. J. R. Mertens and **J. E. Leysen**	1005	Evaluation of radioiodo-4-amino-N-[1[3-(4-fluoropheno-XY)-propyl]-4-methyl-4-piperidinyl]-5-iodo-2-methoxyben-zamide as a potential 5HT2 receptor tracer for SPE(C)T
Victor W. Pike	1011	Radioligands for PET studies of central 5-HT receptors and re-uptake sites—Current Status
David M. Raffel, James R. Corbett, Markus Schwaiger and **Donald W. Wieland**	1019	Mechanism-based strategies for mapping heart sympathetic nerve function
Liisa-Marie Voipio-Pulkki	1027	Relevance of PET/SPET tracers for cardiac neurotransmission
Kjell Ngren, Christer Halldin, Carl-Gunnar Swahn, Karl-Olof Schoeps, Oliver Langer, Markus Mitterhauser and **Ilse Zolle**	1037	Some new methods for the synthesis of cardiac neurotransmission PET radiotracers
Carl-Gunnar Swahn, Christer Halldin, Kjell Ngren and **Lars Farde**	1045	An HPLC-method for determination of ligand metabolism during PET studies with [^{11}C] metaraminol and [^{11}C] norepinephrine
B. Maziere, H. Valette and **Christian Loc'h**	1049	^{76}Br-MBBG, a PET radiotracer to investigate the norepinephrine neurological and vesicular transporteres in the heart
Lars Farde, Christer Halldin, Kjell Ngren, Per Karlsson, Carl-Gunnar Swahn and **Tetsuya Suhara**	1053	PET examination of the monkey heart with high specific radioactivity [^{11}C] norepinephrine and [^{11}C] metaraminol
B. Noll, B. Johannsen and **H. Spies**	1057	Sources of radiochemical impurities in the ^{99m}Tc/S-unprotected MAG3 system
S. Seifert, O. Muth, K. Jantsch and **B. Johannsen**	1063	Radiochemical purity of ^{99m}Tc-HM-PAO: Critical parameters during kit preparation
L. A. Damani, Markus Mitterhauser, Ilse Zolle, G. Lin, E. Oehler and **Y. P. Ho**	1067	Metabolic and pharmacokinetic considerations in the design of 2-phenyl substituted metyrapone derivatives: 2-Methoxyphenyl-metyrapone as a radioligand for functional diagnosis of adrenal pathology
A. Schirbel and **H. H. Coenen**	1075	Comparison of non-isotopic exchange methods for n.c.a. labelling of 2-iodophenyl-metyrapone
	I	List of Contents and Author Index